

		Overall Length	Beam - Width	A	B	C	Key	CM - Customers Measurements	
				Stern to Com'way	Stern	Deck To Deck Over Sprayhood		EST - Estimated Measurements	
Habitent Measurements								Unit	Comments
Albin	Ballad	9.1	2.95	3.5	1.4	3.4	CM		On margin of NS
Albin	Viga	8.23	2.49	3.24	1.43	3.02	CM		On margin of NS
Banshee	Express (catamaran)						CM		
Bavaria	30	9.45	3.29	3.1	2.45		CM	Habitent M	"Good Fit"
Bavaria	32	10.3	3.3	3.35	2.2	3.98	CM	Habitent M	
Bavaria	36	11.48	3.68	3.9	2.3		CM		
Bavaria	707	7.01	2.47		1.6		CM	Habitent M-NS	Customer Purchased
Bavaria	760	7.6	2.5	3.2	2.04	2.85	CM		
Bavaria	Cruiser 31	10.06	3.39	3.6	2.4		Est	Habitent M	Use with sprayhood to gain length
Bavaria	Cruiser 34	10.75	3.62	3.55	2.45	4.23	CM		
Bavaria	Cruiser 35	10.8	3.62	3.88	2.49		Est	Habitent M	Use with sprayhood may gain length
Bavaria	Cruiser 36	11.48	3.68						
Bavaria	Cruiser 38	11.77	3.92	3.7	2.75		Est		Need to check 'B' to outside of coaming
Bavaria	Cruiser 40	12.38	4	4.25	2.75		Est		Need to check 'B' to outside of coaming
Bavaria	Cruiser 43	13.15	4	4.05	3.2		Est		
Bavaria	Cruiser 47	14.52	4.41	4.5	2.45		Est	Habitent M	Unit will not cover whole of cockpit
Bavaria	Cruiser 51	15.54	4.51	4.4	3.32		Est		
Bavaria	Cruiser 55	16.79	4.79	4.7	4.3		Est		
Bavaria	Vision 40	12.74	4	3.95	3.53		Est		
Bavaria	Vision 44	13.76	4.41	4.65	3.64		Est		
Bavaria	Vision 50	15.75	4.51	4.84	3.33		Est		
Beneteau	461	14.14	4.31	4.71	2.87		Est		Need to check 'B' to outside of coaming
Beneteau	Evasion 37 Ketch	11.3	3.44	2.7	2	3.6	CM	Habitent M	
Beneteau	First 1800	5.91	2.34	2.6	1.8		CM	Habitent M-NS	
Beneteau	First 21.7 S	6.4	2.48	3	2.16		Est	Habitent M	
Beneteau	First 211	6.42	2.5						
Beneteau	First 24	7.5	2.5				CM	Habitent M-NS	"Good Fit" with & without sprayhood
Beneteau	First 25.7 S Keel Boat	7.9	2.75	2.7	2.5	3.15	CM	Habitent M	Need to identify fastening points to bow end at deck level
Beneteau	First 25.7 S Lifting Keel	7.9	2.75	2.7	2.5	3.15	CM	Habitent M	Need to identify fastening points to bow end at deck level
Beneteau	First 260	7.5	2.75						
Beneteau	First 27.7 S Keel Boat	8.6	3	3.1	2.7		Est		Need to check 'B' to outside of coaming
Beneteau	First 27.7 S Lifting Keel	8.6	3	3.1	2.7		Est		Need to check 'B' to outside of coaming
Beneteau	First 30	9.81	3.2	3.7	3.08		Est		
Beneteau	Clipper 311							Habitent M-NS	good fit
Beneteau	First 31.7	9.61	3.23	3.64	2.62		CM		Need to check 'B' to outside of coaming. Use with sprayhood may gain length
Beneteau	First 310	9.5	3.2	3.8	2.4		CM		Unit will not cover whole of cockpit
Beneteau	First 32s5	9.91	3.3	3.47	2.585	4.725	CM	Habitent M	Updated measurements.
Beneteau	33.7	9.98	3.4	3.6	2.3	3.8	CM	Habitent M	Measurement B is to outside of Coaming
Beneteau	First 35	11.07	3.64	4.1	3		Est		
Beneteau	First 35s5	10.8	3.61	3.74	2.7	3.8	CM		
Beneteau	First 40	12.58	3.89	5.6	3.4		Est		
Beneteau	First 45	14.07	4.2	4.7	3.1		Est		
Beneteau	First 50	14.99	4.41	5.2	3.5		Est		
Beneteau	Oceanis 31	9.66	3.39	3.3	2.6		Est		Need to check 'B' to outside of coaming
Beneteau	Oceanis 331	10.37	3.46	3.2	2.8		Est		Need to check 'B' to outside of coaming
Beneteau	Oceanis 34	10.34	3.65	3.25	2.9		Est		Need to check 'B' to outside of coaming
Beneteau	Oceanis 37	11.47	3.91	3.64	3.3		Est		

		Overall Length	Beam - Width	A	B	C	Key	CM - Customers Measurements	
				Stern to Com'way	Stern	Deck To Deck Over Sprayhood		EST - Estimated Measurements	
Beneteau	Oceanis 393	11.89	3.45	2.7	2.7	4.08	CM		
Beneteau	Oceanis 40	12.15	3.91	4.49	3.3		Est		
Beneteau	Oceanis 411	12.7		4	3.4		CM	Please Contact Us	
Beneteau	Oceanis 461								
Bianca	Rivera 32	9.76	3.3	2.13	2.14		CM	Habitent M	Need to check measurement C
Boomaroo	22	6.55	2.34	3.2	1.9		CM	Habitent M-NS	
British Hunter	Channel 323	9.88	3.11	3.23	2.12	3.65	CM	Habitent M	
British Hunter	Pilot 27	8.2	2.8	2.585	2.06	3.4	CM	Habitent M-NS	Customer Purchased
C&C	27-1	8.33	9.18	3.62	1.55		Est		Use with spray hood may gain length
Cape Dory	30 Cutter	9.17	2.75	3.16	1.58	3.14	CM		
Carter	30	9.07	3.07	2.8	1.44		Est	Habitent M-NS	
Catalina	28 Mk2	8.69	3.1	2.4	2	3.7	CM	Habitent M	Pretty good fit - better than expected. Aft end is fairly open due to transom shape
Catalina	C250	7.62	2.59	3.15	1.87		Est	Habitent M-NS	
Catalina	30	9.12	3.3	3.5	1.7		CM	Habitent M-NS	
Cobra	850	8.71	2.9	3.19	1.37	3.35	CM		Mark Green Prototype Habitent S
Cole	19 Trailer Sailor	5.94	2.39	3	1.85		CM	Habitent M-NS	
Columbia	8.7	8.7	3.04	3.45	2.08	3.45	CM	Habitent M	Use with spray hood to gain length
Colvic	Atlanta 27	8.25		3	1.45	3.45	CM		
Colvic	Sailor 26	8.23	2.73	3.05	1.52	3.4	CM	Habitent M-NS	
Colvic	Countess 28	8.56	3.11	2.7	1.67	3.61	CM	Habitent M-NS	
Colvic	Liberator	10.67	3.4	3.1	2.1	3	CM	Habitent M	" Good Fit"
Colvic	UFO 31	9.41	3.1				CM	Habitent M	"Good Fit"
Colvic	UFO 34	10.16	3.35						
Com-Pac	Sloop	7.3		2.52	1.52	2.05	CM	Habitent M-NS	
Compromis	7.2	7.2	2.5	3.5	1.65	2.3	CM		
Compromis	8.5	8.5	3	3.1	1.6	2.25	CM		
Corribee	21 MKII								
Comanche	Catamaran								
Contessa	32			3.1	1.5	3.6	CM	Habitent M-NS	
Contessa	38	11.7		3.8	1.9	4.24	CM	Habitent M-NS	"Good Fit"
Comet	910				2.20		CM	Habitent M	"Good Fit"
Cornish	Shrimper	5.87	2.18	3.25	1.4		CM		
Cornish	Crabber 12	3.75	1.6						
Cornish	Crabber 17	6.1	2.05						
Cornish	Crabber MK I	7.34	2.4	1.49	0.62	0.87	CM		
Cornish	Crabber MK I	8.91	2.43	3.25	1.4		CM		1991
Cornish	Crabber 24	7.3	2.4	2.5	1.4		CM		
Cornish	Crabber 26	7.95	2.78		1.7		CM	Habitent M-NS	

		Overall Length	Beam - Width	A	B	C	Key	CM - Customers Measurements	
				Stern to Com'way	Stern	Deck To Deck Over Sprayhood		EST - Estimated Measurements	
<b>Habitent Measurements</b>									
Dehler	31	9.3		3	1.6 - 2.4	3.5			
Dehler	32	9.8	3.25	3.1	2.1	3.38	CM	Habitent M	
Dehler	34	10	3.39	3	1.9		CM	Habitent M-NS	Check Measurement C
Dehler	36 cws	11	3.52	3.8	2.62		Est	Habitent M	"Good Fit"
Dehler	39 sq	12.03	3.87	4.6	3	3.9	Est		Need to check 'B' to outside of coaming. Unit will not cover whole of cockpit
Dockerell	27	8.23	2.44	2.4	1.2	3.5	CM	Habitent M-NS	"Good Fit"
Drascome	Coaster	6.63	2	3	1.6		CM	Habitent M-NS	Measurement A is to mast
Dufour	27	8.32	2.79						
Dufour	32	9.96	3.28				CM	Habitent M	"Good Fit"
Dufour	Classic 32	9.96	3.28	3.4	2.6	3.4	CM	Habitent M	
Dufour	34	10.6	3.48				CM	Habitent M	"Good Fit"
Dufour	2800	8.33	2.93	3	1.75		CM	Habitent M	Unusual Coaming
Dufour	385	11.72	3.93	3.45	3.4	3.97	CM	Please Contact Us	
Dufour	455	13.79	4.3					Please Contact Us	
Elizabethan	23'	7.03	2.19	2.9	1.6		CM	Habitent M-NS	
Etap	22i	6.15	2.7	2.6	1.95	2.8	CM	Habitent M-NS	Unit long over sprayhood
Eventide		8.53		2.75	1.33	1.92	CM	Please Contact Us	
Feeling	36	11.1	3.62	3.7	2.96		Est		Need to check 'B' to outside of coaming
Feeling	326	9.75	3.3	2.86	2.35		Est	Habitent M	
Freedom	39	11.89	3.91	3.0+	2.4	4.9	CM	Please Contact Us	
Genoa	33i			3.46	2.66	3.87	CM	Habitent M	
Gib'sea	282	8.7	3.15	3	2.4		CM	Habitent M	Our Boat!
Gib'sea	402	12.4	3.85	3.85	2.52	4.25	CM	Please Contact Us	
Gib'sea	522	15.85		3	2.42		CM	Habitent M	Need to Check Measurements
Halcyon	23			2.85	1.65		CM	Habitent M-NS	Need Measurement C
Halcyon	27	8.23	2.34	2.88	1.66	3.2	CM	Habitent M-NS	
Hallberg Rassy	31	9.42	3.18	3.49	2.49		Est	Habitent M	Use with sprayhood may gain length
Hallberg Rassy	34	10.29	3.41	2.87	2.34		Est	Habitent M	
Hallberg Rassy	352	10.54	3.38	3.92	2	3.96	CM	Habitent M	will not cover all cockpit, extend bowstraps and use with sprayhood.
Hallberg Rassy	355			4.4	3.2		CM	Please Contact Us	
Hallberg Rassy	Monsun	9.36	2.87	3.83	1.71		Est	Habitent M-NS	Unit will not cover whole of cockpit. Use with spray hood may resolve this
Hanse	291	8.9	2.7	2.6	1.95		CM	Habitent M-NS	
Hanse	292	8.99	2.78	2.8	2.06		Est		
Hanse	300	8.99	2.71	3	2		Est	Habitent M	
Hanse	311	9.45	3.18	3.44	2.27		Est	Habitent M	Use with sprayhood may gain length
Hanse	312	9.45	3.2	3.4	2.4	3.9	CM	Habitent M	Use with sprayhood may gain length
Hanse	315	9.45	3.2				CM	Habitent M	"Good Fit"
Hanse	320	9.63	3.3	4.38	2.85		Est	Please Contact Us	
Hanse	350								
Hanse	355	10.59	3.55	4.4	3.2		CM	Please Contact Us	
Hanse	375								
Hanse	400								
Hanse	430								
Hanse	470								
Hanse	545								
Hanse	620e								
Hawk	20 Cruiser	6.1	2.26	3	1.72		CM	Habitent M-NS	B' Cleat to Cleat

		Overall Length	Beam - Width	A	B	C	Key	CM - Customers Measurements	
				Stern to Com'way	Stern	Deck To Deck Over Sprayhood		EST - Estimated Measurements	
Hunter	15	4.42	1.98	NA	NA				
Hunter	18	5.59	2.18	NA	NA				
Hunter	19	5.81	1.83	3.22	1.07		Est		
Hunter	22	6.5	2.41	3.6	2.2		Est	Habitent M	Use with sprayhood may gain length
Hunter	25	7.47	2.58	2.75	2.2		Est	Habitent M	
Hunter	27	8.33	3.02	2.94	2.48		Est	Habitent M	
Hunter	31	9.39	3.38	3.2	2.6	4.2	CM	Please Contact Us	Measurement over sprayhood is long
Hunter	326	9.73	3.3						
Hunter	33	10.21	3.51	2.6	2.9		Est		Need to check 'B' to outside of coaming
Hunter	36	10.82	3.91	3	3.1		Est		
Hunter	38	11.63	3.94	4	3.57		Est		
Hunter	39	12.01	3.94	4.05	3.5		Est		
Hunter	49	15.21	4.47	5	3.9		Est		
Hunter	170	5.18	2.13						
Hunter	41 Aft Cockpit	12.29	4.04	4	3.46		Est		
Hunter	41 Deck Salon	12.29	4.04	4	3.4		Est		
Hunter	45 Centre Cockpit	13.72	4.42	CC	CC		Est		
Hunter	45 Deck Salon	13.66	4.42	4.3	3.2		Est		
Hunter	50 Centre Cockpit	15.21	4.47	CC	CC		Est		
Hunter	Channel 323	9.88	3.11	3.23	2.12	3.65	CM	Habitent M	
Hunter	Cutter 37								
Hunter	Horizon 23	6.96	2.6	3.2	1.8		CM	Habitent M-NS	
Hunter	Horizon 26	8.03	2.74	2.5	1.9	3.1	CM	Habitent M-NS	Use Bow Pole
Hunter	Horizon 30	9.14	2.82	3	1.9	3.5	CM	Habitent M-NS	
Hunter	Legend 40	12.19	4.13	4.19	1.93	3.35	CM		1987. Unit will not cover whole of cockpit
Hunter	Liberty 22	6.7	2.24					Please Contact Us	Stancions on coaming
Hunter	Ranger 245	7.47	2.67	2.2	2	3.45	CM	Habitent M-NS	Check Measurement a. Requires sprayhood
Hunter	Ranger 265	8.1	2.75						
Hunter	theEdge	8.25	2.59	2.9	2.45	2.14 (?)	CM		Need to check 'B' to outside of coaming
Husky	24	7.62	2.62	3	1.8		CM	Habitent M-NS	

		Overall Length	Beam - Width	A	B	C	Key	CM - Customers Measurements	
				Stern to Com'way	Stern	Deck To Deck Over Sprayhood		EST - Estimated Measurements	
Habitent Measurements								Unit	Comments
Impala	28	8.53	2.82	2.78	2.2			Habitent M	Measurements taken at coaming leaving stern lockers exposed
Jaguar	21	6.5	2.5	2.8	1.91		Est	Habitent M-NS	
Jaguar	22	6.55	2.34	2.98	1.75		Est	Habitent M-NS	
Jaguar	23	7.01	2.5	2.73	2.02		Est	Habitent M	
Jaguar	24	7.31	2.5	2.86	1.88		Est	Habitent M-NS	
Jaguar	27	8.27	2.7	3.1	1.5		CM		
Jboats	J100	10	2.82	4.6	1.5		CM		There are lockers to the stern. Measurement A includes these
Jeanneau	Brio	6.6	2.5	1.78	1.375		CM		
Jeanneau	Fantasia 27	8.3	2.88	3.05	2.12	3.4	CM	Habitent M	
Jeanneau	SUN 2000	6.63	2.54	3.63	2.45		CM	Habitent M	Unit will not cover whole of cockpit
Jeanneau	SUN ODYSSEY 24.2	7.3	2.49	2.7	2	3.2	CM	Habitent M	
Jeanneau	Sun Odyssey 26	7.49	2.95	3.3	2.85		CM	Habitent M	Unit fits to outside of coaming
Jeanneau	SUN ODYSSEY 29.2	8.8	2.98	3.5	2.5		CM	Habitent M	Cockpit is long
Jeanneau	SUN ODYSSEY 30i	9.02	3.18	3.18	2.93		Est		Need to check 'B' to outside of coaming
Jeanneau	SUN ODYSSEY 30i DERIVEUR	9.02	3.18	3.18	2.93		Est		Need to check 'B' to outside of coaming
Jeanneau	Rush 31	9.55	3.15						
Jeanneau	SUN ODYSSEY 32i	9.6	3.3	3.3	2.84		CM		Need to check 'B' to outside of coaming
Jeanneau	SUN ODYSSEY 32	9.61	3.26	3.26	2.54		CM		Need to check 'B' to outside of coaming
Jeanneau	Symphonie 32	9.78	3.9	1.7	3.45		CM	Habitent M	Unit will not cover whole of cockpit
Jeanneau	SUN ODYSSEY 33i	9.97		3.71	2.9	4.01	CM	Please Contact Us	
Jeanneau	SUN ODYSSEY 33	9.98	3.5	3.51	3.1		Est		
Jeanneau	SUN ODYSSEY 33 performance	9.98	3.5	3.51	3.1		Est		
Jeanneau	SUN ODYSSEY 35	10.75	3.47	3.65	3.1		CM	Please Contact Us	
Jeanneau	SUN ODYSSEY 37	11.38	3.7						
Jeanneau	SUN ODYSSEY 39i	11.86	3.88	4	3		Est		
Jeanneau	SUN ODYSSEY 42CC	12.85	4.1	5	3		Est		
Jeanneau	SUN ODYSSEY 42i performance	12.85	4.13	5	3		Est		
Jeanneau	SUN ODYSSEY 44i	13.75	4.37	5.14	3.12		Est		
Jeanneau	SUN ODYSSEY 44i performance	13.75	4.37	5.14	3.12		Est		
Jeanneau	Sun Odyssey 45.2	14.15	4.48	4.5	2.45	3.64	CM	Please Contact Us	
Jeanneau	SUN ODYSSEY 49i	15.1	4.51	5.1	3.33		Est		
Jeanneau	SUN ODYSSEY 49i performance	15.1	4.51	5.1	3.33		Est		
Kings Cruiser	33	10.24	3.12	3.1	1.36		CM		
Kingfisher	26	7.92	2.34	3.2	1.17	3.225	CM		
Kingfisher	30	9.14	2.74	4	1.5	3.54	CM	Please Contact Us	
Laurin	32	9.81	2.88	2.5	1.33		Est		
Leisure	22	6.71	2.39						
Leisure	23	6.9	2.39	2.6	1.6	3.1	CM	Habitent M-NS	Would need to use bow pole
Leisure	27	8.23	2.81						
MacGregor	22								
MacGregor	26	7.9	2.37	3.3	2		CM	Habitent M	
Macwester	27	8.25	2.68	3.1	1.66	3.2	CM	Habitent M-NS	Use with bow pole
Macwester	Malin Ketch	10		1.57	1.19	2.39	CM		
Mayall	Catamaran								
Maxi	77	7.77	2.49						
Maxi	95			3.6	1.45	3.3	CM	Habitent M-NS	Use with sprayhood may gain length
Maxi	1000	10.7	3.24				CM	Habitent M	"Good fit"

		Overall Length	Beam - Width	A	B	C	Key	CM - Customers Measurements	
				Stern to Com'way	Stern	Deck To Deck Over Sprayhood		EST - Estimated Measurements	
MG Spring	25	7.8	2.74	2.9	2.1	3.3	CM	Habitent M-NS	
Mirage	27	8.41	2.83	2.88	1.7		Est	Habitent M-NS	
Mirage	2700	8.23	2.9	3	1.55	2.7	CM	Habitent M-NS	Tricky to fit! Use 'No Pole' solution
Mirage	28	8.63	2.82						
Mistral	Arden 4	7.16	2.21	2.5	1.75	2.98	CM	Habitent M-NS	Would need to use bow pole
Moody	27	8.43	2.95	2.7	1.9	3.35	CM	Habitent M-NS	
Moody	29	9.04	3.2	2.7	1.84	3.63	CM	Habitent M-NS	
Moody	30	9.17	3.08	3.04			CM	Habitent M	'Good Fit'
Moody	31mk1	9.4	3.21	3	2.1	3.9	CM	Habitent M	
Moody	31s	9.48		3.18	2.75	3.84	CM	Habitent M	
Moody	S31	9.45	3.3	2.6	2.7	3.9	CM		Need to check 'B' to outside of coaming
Moody	31 Mk II	9.4	3.21	3.18	2.19		CM	Habitent M	
Moody	33 CC								
Moody	34	10.19	3.56	4.4	2.2		Est	Habitent M	Unit will not cover whole of cockpit
Moody	34 (Older version 346) CC	10.19	3.56	2.9	2.2	2.3	CM	Habitent M	
Moody	376 CC	11.53	3.81	2.85	1.93	4	CM	Habitent M	Customer Purchase. Poles set outside of coaming
Moody	38 CC	11.58	3.84	2.9	1.83	2.95	CM	Habitent M-NS	Poles set outside of coaming
Moody	39 CC	11.7	4.2		3.2				
Moody	419							Habitent M	Good fit live aboard in Plymouth had it in use since September 2011
Moody	422	12.8	4.11						
Moody	44 CC						CM	Please Contact Us	
Newbridge	Virgo Voyager 23'	7	2.55	3.1	1.45	3.62	CM	On margin of NS	
Newbridge	Pioneer Pilot 26	7.9	2.75	3.3	1.8	4.2 (?)	CM	Habitent M-NS	
Niagra	26	8.13	2.54	3.05	1.6	2.44	CM	Habitent M-NS	Unit long over sprayhood
Nicholson	32	9.78	2.83	3.12	1.53		Est		
Nicholson	39	11.89	3.51						
Noelex	25	7.7	2.5	3.15	2.45		Est		
Nonsuch	30	9.17		2.75	2.14		CM	Habitent M	
Nordica	20	5.96	2.34	1.91	1.52		Est	Habitent M-NS	
Northbeach	29			3.4	1.8	2.8	CM	Habitent M-NS	Hard top sprayhood
Norwalk Islands	Sharpie 29								

		Overall Length	Beam - Width	A	B	C	Key	CM - Customers Measurements	
				Stern to Com'way	Stern	Deck To Deck Over Sprayhood		EST - Estimated Measurements	
Habitent Measurements								Unit	Comments
	Odin	820 Classic	8.2	3.35	2.2	3.05	CM	Habitent M	
	Ohlson	8.8	8.8	2.69	3.1	1.6	CM	Habitent M-NS	Need to check measurement C
	Parker	235	7.14	2.54		1.6	CM		
	Parker	275	8.54	2.83	2.68	2.07	Est	Habitent M	
	Parker	355							
	Pegasus	700	7	2.39	3	1.41	2.9	CM	On margin of NS
	Prout	Snow Goose Elite Cat	11.28	4.65	1.9	4.1	6	CM	
	Red Fox	200	6.11	2.75	1.77			CM	Habitent M-NS
	Rival	32	9.78	2.45	2.6	1.6	3.05	CM	Habitent M-NS
	Rival	34	10.36	2.95	3.81	1.01		CM	Measurments taken in from stern Customer to try no pole solution
	Rival	36	10.97	3.35	2.59	1.4		CM	Unit will not cover whole of cockpit. Use with spray hood may resolve this
	Sabre	27							Need to Confirm Measurements
	Sadler	29	8.69	2.9	2.85	1.91	3.52	CM	Habitent M-NS
	Sadler	32	9.6	3.2	3.3	1.1	3.66	CM	Habitent M-NS
	Sadler	34	10.62		3.2	1.82	4.05	CM	Habitent M-NS
	Sadler	Mk I Sea Wych	5.79	2.14	2.6	1.37		CM	Habitent M-NS
	Saggita	35		3	1.68	3.2		CM	Habitent M-NS
	Sailart	20	6.3	2.5					
	Santana	20	6.18	2.45	3.04	1.35		CM	
	Scanmar	33	10.14	3.29	3.2	2	3.26	CM	Habitent M
	Seafarer	24	7.34	2.38					
	Seamaster	Sailor 23	7.03	2.45	3	1.52	3	CM	
	Seawark Eagle	Hawke 32	10.57	3.21					
	Sigma	33	10.24	3.21				CM	Habitent M-NS
	Sigma	362	10.97	3.51	2.9	2	3.65	CM	Habitent M
	Sigma	41	12.73	3.91					
	Snapdragon	24/747	7.47	2.44	3	1.48	3.5	Est	Habitent M-NS
	Southerly	110	10.82	3.57	5.06	2.76		Est	Habitent M-NS
	Sportina	730	7.35		3	2.1		CM	Habitent M
	Sunbeam	26	8	2.54	2.63	1.8		Est	Habitent M-NS
	Steadfast	Motor Sailor							
	Strider							CM	Habitent M
	Sunbeam	26	8	2.5	2.63	1.8		Est	Habitent M-NS
	Swallow	Bayraider		1.7	1.7	2.8		CM	Please Contact Us
	Trapper	500	8.36		2.9	1.7	3.3	CM	Habitent M-NS
	Trapper	700	10.7	3.24	2.35	1.64		CM	
	Trident	24	7.32	2.26	3.22	1.29		CM	
	Trident	Voyager 38	10.7	3.2					
	Twister			2.92	1.58			CM	Habitent M-NS
	Tyler	28	8.56		3.3	1.6	3.5	CM	Habitent M-NS
	Vagabond	47 CC		2.24	2.2	4.1		CM	
	Varne	Folkboat	7.68		3.225	1.275	1.55	CM	Please Contact Us
	Vindo	32	8.95	2.74					
	Viva	700 Trailer Sailer	7.3	2.5	3.1	1.8		CM	Habitent M-NS
	Waarship	1010			3.0-3.5	1.9		CM	Habitent M-NS
	Westerly	22	6.8	2.27	2.63	1.53		Est	Boom very close to deck
	Westerly	Berwick		3.7	1.7	3.8		CM	Habitent M-NS

		Overall Length	Beam - Width	A	B	C	Key	CM - Customers Measurements	
				Stern to Com'way	Stern	Deck To Deck Over Sprayhood		EST - Estimated Measurements	
Westerly	Centaur 26	7.95	2.57	3	1.7	3.7	CM	Habitent M-NS	
Westerly	Cirrus 22	6.73	2.45	2.6	1.92		Est	Habitent M-NS	
Westerly	Discuss CC	10.17	3.41	4.28	2.19	3.92	CM		Centre Cockpit
Westerly	Falcon 34	10.29	3.75	2.54	2.06	3.22	CM	Habitent M	
Westerly	Falcon 35	10.7	3.67						
Westerly	Fulmar 32	9.7	3.37	3.8	2.2		CM	Habitent M	Unit will not cover whole of cockpit
Westerly	GK24	7.34	2.85	2.2	1.67		Est	Habitent M-NS	
Westerly	GK29			2.8	2	2.2	CM	Habitent M-NS	
Westerly	Griffon 26	7.95	2.83	2.94	1.76	3.7	CM	Habitent M-NS	
Westerly	Konsort	8.79	3.28	3.35	1.74	3.8	CM	Habitent M-NS	Use with sprayhood to gain length
Westerly	Merlin 28	8.76	3.03	2.55	2.19		CM	Habitent M	
Westerly	Oceanquest 35	10.52	3.78	4.56	2.1		Est	Habitent M	Unit will not cover whole of cockpit
Westerly	Oceanranger CC			2.89	2.27		CM	Habitent M	
Westerly	Pageant 23	7.06	2.45	2.05	1.64		CM	Habitent M-NS	
Westerly	Seahawk 34	10.29	3.75	4.35	2.7		CM		Need to check 'B' to outside of coaming
Westerly	Storm 33	10.14	3.54	4	2.4	3.3	CM	Habitent M	Unit will not cover whole of cockpit
Westerly	The Joustier	6.42	2.29	2.9	1.64		Est	Habitent M-NS	
Westerly	Typhoon			2.3	1.8		CM	Habitent M-NS	Measured to traveller
Witholz	Catboat 17'			2.77	1.78		CM		